



ICF International / Laboratory Data Consultants

Environmental Services Assistance Team, Region 9
1337 South 46th Street, Building 201, Richmond, CA 94804-4698
Phone: (510) 412-2300 Fax: (510) 412-2304

MEMORANDUM

TO: Chris Lichens, Remedial Project Manager
Site Cleanup Section 4, SFD-7-4

THROUGH: Rose Fong, ESAT Task Order Manager (TOM) RF
Quality Assurance (QA) Program, MTS-3

FROM: Doug Lindelof, Data Review Task Manager DL
Region 9 Environmental Services Assistance Team (ESAT)

ESAT Contract No.: EP-W-06-041
Technical Direction Form No.: 00105074 Amendment 3

DATE: August 16, 2007

SUBJECT: Review of Analytical Data, Tier 3

Attached are comments resulting from ESAT Region 9 review of the following analytical data:

Site:	Omega Chem OU2
Site Account No.:	09 BC LA02
CERCLIS ID No.:	CAD042245001
Case No.:	None Provided
SDG No.:	IQC0783
Laboratory:	TestAmerica Analytical Testing Corp.
Analysis:	Hexavalent Chromium
Samples:	1 Groundwater Sample (see Case Summary)
Collection Dates:	March 7, 2007
Reviewer:	Stan Kott, ESAT/Laboratory Data Consultants

This report has been reviewed by the EPA TOM for the ESAT contract, whose signature appears above.

If there are any questions, please contact Rose Fong (QA Program/EPA) at (415) 972-3812.

Attachment

SAMPLING ISSUES: ☒ Yes ☐ No

Data Validation Report

Case No.: None Provided
SDG No.: IQC0783
Site: Omega Chem OU2
Laboratory: TestAmerica Analytical Testing Corp.
Reviewer: Stan Kott, ESAT/LDC
Date: August 16, 2007

I. CASE SUMMARY

Sample Information

Samples: OC2-HPW6A-W-0-384
Concentration and Matrix: Low Concentration Water
Analysis: Hexavalent Chromium
SOW: EPA Method 218.6
Collection Date: March 7, 2007
Sample Receipt Date: March 7, 2007
Preparation Date: March 7, 2007
Analysis Date: March 7, 2007

Field QC

Field Blanks (FB): Not Provided
Equipment Blanks (EB): Not Provided
Background Samples (BG): Not Provided
Field Duplicates (D1): Not Provided

Laboratory QC

Method Blanks: 7C07085-BLK1
Associated Samples: Samples listed above
Matrix Spikes: IQC0721-01MS1
Matrix Spike Duplicates: IQC0721-01MSD1
Analysis: Hexavalent Chromium

<u>Analyte</u>	<u>Sample Preparation Date</u>	<u>Analysis Date</u>
Hexavalent Chromium	March 7, 2007	March 7, 2007

Sampling Issues

The Chain of Custody (COC) record form did not specify a sample to be used for laboratory quality control (QC). As a result, the laboratory selected sample IQC0721-01. The effect on data quality is not known.

Additional Comments

As directed by the EPA TOM, a Tier 3 data review was performed. A Table 1A is not requested.

The laboratory indicates the sample arrived at a temperature of 1.1°C. Although this temperature is below the 4.0°C method limit, no adverse effect on data quality is expected.

Page 7 of the data package indicates the sample was received on March 7, 2007 at 17:20 hours, but extracted on March 7, 2007 at 15:00 hours. This may be due to a possible typographical error in the preparation column on the Preparation Bench Sheet (page 38).

Definitions of data qualifiers are listed in Table 1B.

This report was prepared in accordance with the following documents:

- Region 9 Standard Operating Procedure 906, *Guidelines for Data Review of Contract Laboratory Program Analytical Services (CLPAS) Inorganic Data Packages*;
- *Methods For The Determination Of Metals In Environmental Samples*, EPA-600/4-91-010, June 1991; and
- *USEPA Method 218.6, Determination of Dissolved Hexavalent Chromium in Drinking Water, Groundwater, and Industrial Wastewater Effluents by Ion Chromatography*, Revision 3.3, May 1994.

II. VALIDATION SUMMARY

The data were evaluated based on the following parameters:

	<u>Parameter</u>	<u>Acceptable</u>	<u>Comment</u>
1.	Data Completeness	Yes	
2.	Sample Preservation and Holding Times	Yes	
3.	Calibration	Yes	
	a. Initial		
	b. Initial and Continuing Calibration Verification		
4.	Blanks	Yes	
5.	Laboratory Control Sample (LCS)	Yes	
6.	Duplicate Sample Analysis	Yes	
7.	Matrix Spike Sample Analysis	Yes	
8.	Field Duplicate Sample Analysis	N/A	
9.	Sample Quantitation	Yes	
10.	Overall Assessment	Yes	

N/A = Not Applicable

III. OVERALL ASSESSMENT OF DATA

All of the method requirements specified in the EPA Method 218.6 have been met. Reported results for hexavalent chromium in all of the samples were appropriately and correctly calculated.

TABLE 1B

DATA QUALIFIER DEFINITIONS FOR INORGANIC DATA REVIEW

The definitions of the following qualifiers are prepared in accordance with the document *USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review*, October 2004.

- U The analyte was analyzed for, but was not detected above the level of the reported sample quantitation limit.
- J The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
- J+ The result is an estimated quantity, but the result may be biased high.
- J- The result is an estimated quantity, but the result may be biased low.
- R The data are unusable. The sample results are rejected due to serious deficiencies in meeting Quality Control (QC) criteria. The analyte may or may not be present in the sample.
- UJ The analyte was analyzed for, but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.

